FEDERAL ENERGY REGULATORY COMMISSION

OMB Control 1902-0075 Expiration 05/31/2016

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

General

2015 ASS T.L. A 10: 29

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, www.ferc.gov/QF. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. See18 C.F.R. § 292.203.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button () for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.govto discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (DataClearance@ferc.gov); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (oira_submission@omb.eop.gov). Include the Control No. 1902-0075 in any correspondence.

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QFand click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

| Filing category | Filing Type as listed in eFiling | Description |
|-----------------|--|---|
| | (Fee) Application for Commission Cert. as Cogeneration QF | Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF. |
| | (Fee) Application for Commission Cert. as Small Power QF | Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF. |
| | Self-Certification Notice (QF, EG, FC) | Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF. |
| Electric | Self-Recertification of Qualifying Facility (QF) | Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF. |
| | Supplemental Information or Request | Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do notuse this filing type to report new changes to a facility or its ownership; rather, use a self- recertification or Commission recertification to report such changes. |
| General | (Fee) Petition for Declaratory Order (not under FPA Part 1) | Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205 (c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition. |

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

FERC Form Page 3- Instructions

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18

C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

- (1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or
- (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at www.ferc.gov/QFand clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QFand clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itselfthat the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filling date of the application or the filling date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. §

292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously:

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form Page 4- Instructions

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QFand clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See www.ferc.gov/help/filing-guide/file-ceii.aspfor more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1), a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must

If you are not seeking privileged treatment or CEII status for any of your Form 556 data, then you

| , |
|---|
| Non-Public: Applicant is seeking privileged treatment and/or CEII status for data containted Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556. |
| Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data containted Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data exceptfor data from the lines indicated below, which has been redacted. |
| Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment |
| Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status |

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security

FEDERAL ENERGY REGULATORY COMMISSION

OMB Control 1902-0075 Expiration 5/31/2016

Form

Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

| 1 | ant (legal entity on whose behalf quoject Company, LLC | lailiying facility s | tatus is sought for this facility) | | |
|--|--|---|---|--|--|
| 1b Applicant street add 7550 Wisconsin A | | | | | |
| 1c City Bethesda | | 1d State/prov | ince | | |
| 1e Postal code 20814 | 1fCountry (if not United States) | | 1gTelephone number 240-762-7700 | | |
| 1h Has the instant faci | lity ever previously been certified a | s a QFYesx N | lo 🗌 | | |
| 11 If yes, provide the d | ocket number of the last known QF | filing pertaining | to this facilityQ 12 - 176 - 001 | | |
| 1j Under which certific | ation process is the applicant maki | ng this filing? | | | |
| Notice of self-certi (see note below) | fication | Application for Co iling fee; see "Fil | ommission certification (requires ing Fee" section on page 3) | | |
| requirements for QI Commission does r | Note: a notice of self-certification is a notice by the applicant itself that its facility compiles with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 3 for more information. | | | | |
| Qualifying small p | k What type(s) of QF status is the applicant seeking for its facility? (check all that apply) Qualifying small power production facility Qualifying cogeneration facility status | | | | |
| 11 What is the purpose and expected effective date(s) of this filing? Original certification; facility expected to be installed and to begin operation on Change(s) to a previously certified facility to be effective on (identify type(s) of change(s) and describe change(s) in the Miscellaneous section starting on page | | | | | |
| | | | | | |
| 1m If any of the following three statements is true, check the box(es) that describe your situation and complete the form to the extent possible, explaining any special circumstances in the Miscellaneous section starting on | | | | | |
| regulations previ | page 19 requirements by virtue of a waiver of certain regulations previously granted by the page 19 (specify any other relevant waiver orders in the Miscellaneous section starting on page 19) | | | | |
| | The instant facility would comply with the Commission's QF requirements if a petition for waiver submitted concurrently with this application is granted | | | | |
| the employment | of unique or innovative technologie | s not contemplat | nas special circumstances, such as ted by the structure of this form, that ஆலுழ்e in Misc. section starting on p. | | |

FERC Form Page 6- All Facilities

| | 2a Name of contact person Carrie Hill Allen | 2b Telephone number 240-762-7773 | | | | |
|-----------------------------|--|--|------------------|--|--|--|
| nation | 2c Which of the following describes the contact person's relationship to the applicant? (check one) Applicant | | | | | |
| nforn | 2d Company or organization name (if applicant is an ind SunEdison, Inc. | ividual, check her | e and skip to 📋 | | | |
| Contact Information | 2e Street address (if same as Applicant, check here and | skip to 🗷 | | | | |
| 0 | 2f City | 2g State/prov | ince | | | |
| | 2h Postal code 2iCountry (if not Unite | d States) | | | | |
| tion | 3a Facility name Five Pine Project | | | | | |
| nd Locar | 3b Street address (if a street address does not exist for | 3b Street address (if a street address does not exist for the facility, check here and skip to x | | | | |
| Identification and Location | Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional. Longitude X West (-) | | | | | |
| ı | 3d City (if unincorporated, check here and enter nearest Idaho Falls | 3e State/p | | | | |
| Facility | | g Country (if no | t United States) | | | |
| | Identify the electric utilities that are contemplated to transa | ict with the facility | | | | |
| Transacting Utilities | 4a Identify utility interconnecting with the facility PacifiCorp | | | | | |
| ng U | 4b Identify utilities providing wheeling service or check h | ere if 🕱 | | | | |
| sacti | 4c Identify utilities purchasing the useful electric power of PacifiCorp | utput or check he | re if | | | |
| Trar | 4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power serotesck here if | | | | | |

| 5a Direct ownership as of effective date or operation date: Identify all direct owners 10 percent equity interest. For each identified owner, also (1) indicate whether to as defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a homeomorphism section 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16 which are electric utilities or holding companies, provide the percentage of equity that owner. If no direct owners hold at least 10 percent equity interest in the facility information for the two direct owners with the largest equity interest in the facility | hat owner is an elected olding company, as 451(8)), and (2) fo y interest in the factility, then provide the factility, then provide the factility. | ectric utility, s defined in r owners cility held by |
|---|---|---|
| Full legal names of direct owners | Electric utility or holding company | If Yes, % equity interest |
| 1) Meadow Creek Project Company, LLC | Yes No | 100 % |
| 2) | Yes No | |
| 3) | Yes No ☐ | 8 |
| 4) | Yes No | ş |
| 5) | Yes No | y |
| 6) | Yes No | |
| 7) | Yes No | 8 |
| 8) | Yes No | ပ္စ |
| 9) | Yes No | |
| 10 | Yes No | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |
| 9) 10 Check here continue in the Miscellaneous section starting on page 19 if a | ıdditional space is | needed |
| Upstream (i.e., indirect) ownership as of effective date or operation date: Identification owners of the facility that both (1) hold at least 10 percent equity interest in the facilities, as defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)) defined in section 1262(8) of the Public Utility Holding Company Act of 2005 (42 provide the percentage of equity interest in the facility held by such owners. (No owners may be subsidiaries of one another, total percent equity interest reported Check here if no such upstream owners |), or holding compa U.S.C. 16451(8)). ite that, because u | anies, as Also pstream |
| Full legal names of electric utility or holding company upstream owr | ners | % equity interest |
| 1) SunEdison, Inc. | | 38.8% |
| 2) SunEdison Holdings Corporation | - | 38.8% |
| 3) TerraForm Private Holdings, LLC | | 38.8% |
| 4) TerraForm Private, LLC | | 100 % |
| 5) TerraForm AP Acquisition Holdings, LLC | | 100 % |
| 6) TerraForm AP Holdings, LLC | | 100 % |
| 7) Ridgeline Alternative Energy, LLC | | 100% |
| 8) Meadow Creek Holdings, LLC | | 100% |
| 9) Meadow Creek Intermediate Holdings, LLC | | 100 % |
| 10 | | ¥ |
| Check here continue in the Miscellaneous section starting on page 19 if ac | lditional space is n | needed |
| 5c Identify the facility operator First Wind O&M, LLC | | |

| | 6a Describe | the primary energy input | | | if applicable, one | subcategory) |
|---|--|---|-----------------|---|---------------------|---|
| | Bioma | ass (specify) | × Re | enewable resources pecify) | | eothermal |
| | | Landfill gas | ,,,, | ☐ Hydro power - riv | | ssil fuel pecify) |
| | | Manure digester gas | | ☐ Hydro power - tid | | ☐ Coal (not waste) |
| | | Municipal solid waste | | ☐ Hydro power - wa | ave (| ☐ Fuel oil/diesel |
| | 1 1 | Sewage digester ɑas | | ☐ Solar - photovolta | aic [| □ Natural gas (not waste) |
| | 1 - | Wood Other (describe o | | ☐ Solar - thermal | [| Other fossil fuel (describe on page 19) |
| | | biomass (describe o | n page 19) | Wind Other renewable | | , , , , , |
| | <u> </u> | e (specify type below in lir | | Other renewable (describe on pag | e 19) | her (describe on page 19) |
| | 6b If you sp | ecified "waste" as the pri | nary energy i | input in line 6a, indic | ate the type of w | aste fuel used: (check |
| | □ Was | ite fuel listed in 18 C.F.R. | § 292.202(b) | (specify one of the | following) | |
| | | Anthracite culm produce | ed prior to Jul | y 23, 1985 | | |
| | | Anthracite refuse that had average ash content of | | | 00 Btu or less pe | er pound and has an |
| | | Bituminous coal refuse an average ash content | | | of 9,500 Btu per | pound or less and has |
| JJ. | | Top or bottom subbitum determined to be waste | by the United | d States Department | of the Interior's I | Bureau of Land |
| ndu | | Management (BLM) or t jurisdiction, provided that | at the applica | | | |
| y Ir | | determined by BLM to b Coal refuse produced or | | ds or on Indian lands | s that has been d | letermined to be waste |
| Energy Input | by the BLM or that is located on non- Federal or non-Indian lands outside of BLM's jurisdiction, provided that applicant shows that the latter is an extension of that determined by BLM to be | | | | | |
| Ш | | waste Lignite produced in asso exposed as a result of s | | | ntan wax and ligr | nite that becomes |
| | | Gaseous fuels (except r | natural gas ar | nd synthetic gas from | describe on pa | age 19) |
| - | | Waste natural gas from | gas or oil we | lls (describe | on page 19 how | the gas meets the |
| : | | requirements of 18 C.F. necessary to demonstra | ite compliand | e with 18 C.F.R. § 2 | .400) | r filing any materials |
| | | Materials that a government combustion Heat from exothermic | nent agency | has certified for dispo | , ((| describe on page 19) |
| | | reactions Used rubber | (descri | be on page 19) | □ Residual heat | (describe on page 19) |
| | | tires [| ☐ Plastic ma | ıterials □ Re | finery off-gas | ☐ Petroleum coke |
| Other waste energy input that has little or no commercial value and exist | | | | | | |
| | qualifying facility industryribe in the Miscellaneous section starting on page 19; include a discussion of the fuel's lack of commercial value and existence in the absence of the qualifying facility industry) | | | | | |
| } | | he average energy input, energy inputs, and provid | | | | |
| fossil fuel energy inputs, and provide the related percentage of the total average annual ene facility (18 C.F.R. § 292.202(j)). For any oil or natural gas fuel, use lower heating value (18 (m)). | | | | | | |
| | • " | Fuel | | al average energy t for specified fuel | | ge of total nergy input |
| | | Natural gas | ii.pu | | Btu/h | 0 % |
| | | Oil-based fuels | | | Btu/h | 0 % |
| | | Coal | | | Btu/h | 0 % |

FERC Form Page 9- All Facilities

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

| 7a The maximum gross power production capacity at the terminals of the individual generator (s) under the most favorable anticipated design conditions | 8 39,900 W |
|---|-----------------|
| 7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power. | , k |
| 7c Electrical losses in interconnection transformers | k 365 |
| 7d Electrical losses in AC/DC conversion equipment, if any | k 0 |
| 7e Other interconnection losses in power lines or facilities (other than transformers and AC/ DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility | k 805 |
| 7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e | 1,170.0 k |
| 7g Maximum net power production capacity = 7a - 7f | 38,730.0 k |
| | |

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

Five Pine Project consists of 19 Suzlon S97 2.1 MW wind turbines with a $34.5~\rm kV$ collection system and low side facilities, along with the infrastructure needed to support the turbines.

There is a 34.5/161 kV step-up transformer which is shared between Five Pine Project (QF12-176-000) and North Point Project (QF12-175-000). The Five Pine Project is located more than one (1)mile from the North Point Project generating facility. The step-up transformer is rated at 72/96/120 MVA with a 9.5% impedance.

Further description of the Five Pine Project's interconnection facilities is provided in the Miscellaneous Section on page 19.

Information Required for Small Power Production

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

| | you must respond to the terms on this page. Otherwise, only page 10. | | | | | | |
|---|--|-------|--|---|--|---|---|
| | | | Pursuant to 18 C.F.R. § 292.204(a together with the power production energy resource, are owned by the exceed 80 megawatts. To demon facility is exempt from this size lim Incentives Act of 1990 (Pub. L. 10 (1991)), respond to lines 8a through | n capa e sam strate itation 1-575 | acity of any of ne person(s) of compliance v n under the So n 104 Stat. 28 | her small power production facilitien its affiliates, and are located at the with this size limitation, or to demo plar, Wind, Waste, and Geotherma 34 (1990) as amended by Pub. L. | es that use the same ne same site, may not nstrate that your Il Power Production |
| | | | 8a Identify any facilities with elec- generating equipment of the instai their affiliates, holds at least a 5 pc | nt faci | lity, and for w | hich any of the entities identified in | |
| 항 | | | Check here if no such facilities | x | | | Maximum not |
| plian | ons | | Facility location (city or county, state) | Ro | oot docket# (if any) | Common owner(s) | Maximum net power production capacity |
| E | fati | | 1) | Q | <u>-</u> | | kW |
| ŭ | Ш | | 2) | Q | - | | kW |
| ਰ | | | 3) | Q | | | kW |
| tion | with Size Limitations | | Check here continue in the | Misc | ellaneous sed | ction starting on page 19 if addition | nal space is needed |
| Certification of Compliance | wi | | 8b The Solar, Wind, Waste, and provides exemption from the size prior to 1995. Are you seeking extended in the | imitat emptid | ions in 18 C.F on from the si | F.R. § 292.204(a) for certain facilitize limitations in 18 C.F.R. § 292.2 No (skip lines 8c through 8c | es that were certified 04(a) by virtue of the e) |
| | | | on or before December 31, 1998 | | | | |
| | | | 8d Did construction of the facility | comn | nence on or b | efore December 31, 1990@s N | lo 🗌 |
| | | | 8e If you answered No in line 8d, completion of the facility, taking in If you answered Yes, provide a bri the construction timeline (in particular certified) and the diligence exercis | o acc ef nar ılar, d | ount all factor rative explan- escribe why o | rs relevant toes strictiss? ation in the Miscellaneous section construction started so long after th | starting on page 19 of |
| Sertification of Compliance with Fuel Use | $\tilde{\supset}$ | ents | Pursuant to 18 C.F.R. § 292.204(be minimal amounts, for only the follo alleviation or prevention of unantic directly affecting the public health, amount of fossil fuels used for the facility during the 12-month period calendar year thereafter. | wing pipated safet se pur begin | purposes: ign d equipment of y, or welfare, poses may na ining with the | nition; start-up; testing; flame stabi outages; and alleviation or preventi which would result from electric po ot exceed 25 percent of the total e date the facility first produces elec | lization; control use; ion of emergencies, ower outages. The nergy input of the ctric energy or any |
| of (| ne | wı | 9a Certification of compliance with | 18 C | c.F.R. § 292.2 | 04(b) with respect to uses of fossi | I fuel: |
| ion | with Fuel | edulr | Applicant certifies that the t | acility | will use fossi | I fuels exclusivelyfor the purposes | listed above. |
| äti | ĭ Ş | VI | 9b Certification of compliance with | 18 C | c.F.R. § 292.2 | 04(b) with respect to amount of fo | ssil fuel used |
| Sertific | | | annually: Applicant certifies that the a x percent of the total energy facility first produces electri | npac | or the racinty | daning and it monai pened beginn | regate, exceed 25 ling with the date the |

Information Required for Cogeneration

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

| | Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequential use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-cycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production. | | | | | | |
|-------------------------------------|---|---|--|--|--|--|--|
| | 1 | ogeneration technology does the facility represent? (check all that apply) | | | | | |
| | Topping-cycl | e cogeneration | | | | | |
| | with other require and heat balance certain items and | 10b To help demonstrate the sequential operation of the cogeneration process, and to support compliance with other requirements such as the operating and efficiency standards, include with your filing a mass and heat balance diagram depicting average annual operating conditions. This diagram must include certain items and meet certain requirements, as described below. You must check next to the description of each requirement below to certify that you have complied with these requirements. | | | | | |
| | Check to certify compliance with indicated | · · | | | | | |
| | requirement | Requirement | | | | | |
| General Cogeneration Information | | Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process. | | | | | |
| ogene natior | | Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation. | | | | | |
| ral Co Inforn | | Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values. | | | | | |
| eue | | Diagram must specify average gross electric output in kW or MW for each generator. | | | | | |
| O | | Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output. | | | | | |
| | | At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K). | | | | | |
| | | Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine. | | | | | |
| | | Diagram must specify working fluid flow conditions at delivery to and return from each thermal application. | | | | | |
| | | Diagram must specify working fluid flow conditions at make-up water inputs. | | | | | |

| _ | Tago 12 Cogonolation |
|---|--|
| | EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements. |
| | 11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005 No |
| | 11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 2006[|
| | If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below. |
| | 11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006? |
| | ☐ Yes (continue at line 11d below) |
| | No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j. |
| | 11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements? Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e. |
| | 11e Will electric energy from the facility be sold pursuant to section 210 of PURPA? |
| | Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below. |
| | No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j. |
| | 11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW? |
| | Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j. |
| | No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g. |

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205 (d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. §

- 11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial, commercial, residential or institutional purposes and not sold to an electric

 11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility

 11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility

 10 %
- 11j Is the response in line 11i greater than or equal to 50 percent?

| Yes, You | tacility complies with 18 C | .F.R. § 292.205(d)(| (2) by virtue of passing | j the fundamental use |
|--------------|--------------------------------|----------------------|--------------------------|---------------------------|
| test provid | ed in 18 C.F.R. § 292.205(| d)(3). Applicant ce | rtifies its understandir | ng that, if it is to rely |
| upon pass | ing the fundamental use te | st as a basis for co | mplying with 18 C.F.F | R. § 292.205(d)(2), then |
| the facility | must comply with the funda | amental use test bo | oth in the 12-month pe | riod beginning with the |
| date the fa | cility first produces electric | energy, and in all s | subsequent calendar | years. |
| | | | | |

No. Your facility does not pass the fundamental use test.

Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological, efficiency, economical sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility, taking into account technological sale to an electric utility taking into account technological sale to an electric utility taking into account technological sale to an ele

Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. SeeOrder No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in

Information Required for Topping-Cycle Cogeneration

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

| | The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202 (c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below. 12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of thermal output attributable to use (net of | | | | | |
|--|--|---|--|---|--|--|
| | | Name of entity (thermal host) taking thermal output | Thermal host's relationship to facility; Thermal host's use of thermal output | heat contained in process return or make- un water) | | |
| | 1) | | Select thermal host's relationship to facility Select thermal host's use of thermal output | Btu/h | | |
| | | | Select thermal host's relationship to facility | Dtu/II | | |
| <u>o</u> | 2) | ľ | • | Di. A. | | |
| ycl | | | Select thermal host's use of thermal output | Btu/h | | |
| Ÿ | 3) | ì | Select thermal host's relationship to facility | | | |
| ng | | | Select thermal host's use of thermal output | Btu/h | | |
| opi utp | 4) | | Select thermal host's relationship to facility | | | |
| ĎŌ j | | | Select thermal host's use of thermal output | Btu/h | | |
| Tal | 5) | | Select thermal host's relationship to facility | | | |
| s c | $-\parallel$ | | Select thermal host's use of thermal output | Btu/h | | |
| es The | 6) | Ì | Select thermal host's relationship to facility | | | |
| | | ················ | • | Btu/h | | |
| Usefulness of Topping-Cycle Thermal Output | Select thermal host's use of thermal output Check here ancontinue in the Miscellaneous section starting on page 19 if additional space is 12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19. | | | | | |

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiencystandard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents *both*topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

| 13a Indicate the annual average rate of useful thermal energy output made | |
|--|------------------------------|
| available to the host(s), net of any heat contained in condensate return or make | e- Btu/h |
| 13b Indicate the annual average rate of net electrical energy output | |
| | kW |
| 13c Multiply line 13b by 3,412 to convert from kW to Btu/h | |
| | 0 Btu/h |
| 13d Indicate the annual average rate of mechanical energy output taken direct | lly |
| off of the shaft of a prime mover for purposes not directly related to power | |
| production (this value is usually zero) | hp |
| 13e Multiply line 13d by 2,544 to convert from hp to Btu/h | - |
| | O Btu/h |
| 13f Indicate the annual average rate of energy input from natural gas and oil | |
| | Btu/h |
| 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) | |
| | 0 % |
| 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f | |
| | 0 % |
| 13i Compliance with operating standard: Is the operating value shown in line | 13g greater than or equal to |
| 5%? Yes (complies with operating No (does not comply standard) | with operating |
| 13j Did installation of the facility in its current form commence on or after Marc | h 13, 1980? |
| Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. Demonstrate compliance with the efficiency requirement by responding applicable below | |
| No. Your facility is exempt from the efficiency standard. Skip lines 13k | and 13l. |
| 13k Compliance with efficiency standard (for low operating value): If the operates than 15%, then indicate below whether the efficiency value shown in line 1 | 3h greater than or equal to |
| Yes (complies with efficiency standard) No (does not comply standard) | with efficiency |
| 13I Compliance with efficiency standard (for high operating value): If the opera is greater than or equal to 15%, then indicate below whether the efficiency value than or equal to 42.5%: | |

Yes (complies with efficiency

standard)

No (does not comply with efficiency

standard)

Information Required for Bottoming-Cycle Cogeneration

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

| | fron (c) qua the | n which at least some of the reju and (e) of the Commission's reg diffying bottoming-cycle cogener process(es) from which at least s 14a and 14h below didentify and describe each the | toming-cycle cogeneration facility is the energy rect heat is then used for power production. Pursquiations (18 C.F.R. § 292.202(c) and (e)), the tration facility must be useful. In connection with a some of the reject heat is used for power production and each bottoming-cycle cogeneration triple bottoming-cycle cogeneration processes, p | neurant to sections 292.202 nermal energy output of a this requirement, describe ction by responding to |
|----------------------|--|--|---|--|
| | | process in separate rows. Name of entity (thermal host) performing the process from which at least some of the reject heat is used for power production | Thermal host's relationship to facility; Thermal host's process type | Has the energy input to the thermal host been augmented for purposes of increasing power production (if Yescatzacition on p. |
| | 1) | | Select thermal host's relationship to facility | Yes No |
| | '/ | | Select thermal host's process type | |
| <u>a</u> | 2) | | Select thermal host's relationship to facility | Yes No |
| × | _, | | Select thermal host's process type | |
|)-b | 3) | | Select thermal host's relationship to facility | Yes No |
| Ĕ Ħ | | · | Select thermal host's process type | |
| 별 | | Check here andontinue in the | ne Miscellaneous section starting on page 19 if a | dditional space is |
| eruiness of Therm | prod How reas app use spe of the | cess identified above. In some vever, if your facility's process is sonably clear, then you must prolication may be rejected and/or fulness is made. (Exception: If cific bottoming-cycle process renat process and a reference by cated process. Such exemption | of thermal output: At a minimum, provide a brief cases, this brief description is sufficient to demois not common, and/or if the usefulness of such the ovide additional details as necessary to demonst additional information may be required if an insuryou have previously received a Commission cerulated to the instant facility, then you need only provide and docket number to the order certifying of may not be used if any material changes to the ed, continue in the Miscellaneous section starting | nstrate usefulness. nermal output is not trate usefulness. Your ifficient showing of tification approving a rovide a brief description our facility with the |

0 %

Bottoming-Cycle Operating and Efficiency Value Calculation

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below. If you indicated in line 10a that your facility represents bothtopping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming). 15a Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below. No. Your facility is exempt from the efficiency standard. Skip the rest of page 17. 15b Indicate the annual average rate of net electrical energy output kW 15c Multiply line 15b by 3,412 to convert from kW to Btu/h 0 Btu/h 15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) hp 15e Multiply line 15d by 2,544 to convert from hp to Btu/h 0 Btu/h 15f Indicate the annual average rate of supplementary energy input from natural gas or oil Btu/h

15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is

standard)

No (does not comply with efficiency

15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f

greater than or equal to 45%:

standard)

Yes (complies with efficiency

Certificate of Completeness, Accuracy and

starting on page 19, and knows its contents.

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

He or she has read the filing, including any information contained in any attached documents, such as | x | cogeneration mass and heat balance diagrams, and any information contained in the Miscellaneous section

Signer identified below certifies the following: (check all items and applicable subitems)

| stated, to the best of his or her k He or she possess full power and Commission's Rules of Practice | e required information for certification, and the nowledge and belief. | provided information is true as |
|---|--|---|
| Commission's Rules of Practice | | |
| (check one) ☐ The person on whose be | d authority to sign the filing; as required by Ru and Procedure (18 C.F.R. § 385.2005(a)(3)), half the filing is made | |
| | ion, trust, association, or other organized grou | p on behalf of which the filing is |
| ☐ made An officer, agent, or empl the filing is made | loye of the governmental authority, agency, or | instrumentality on behalf of which |
| A representative qualified Rules of Practice and Pro | I to practice before the Commission under Ru ocedure (18 C.F.R. § 385.2101) and who poss | le 2101 of the Commission's sesses authority to sign |
| He or she has reviewed all autor Miscellaneous section starting or | matic calculations and agrees with their results n page 19. | s, unless otherwise noted in the |
| interconnect and transact (see lin | of this Form 556 and all attachments to the util nes 4a through 4d), as well as to the regulator ide. See the Required Notice to Public Utilities mation. | y authorities of the states in which |
| Procedure (18 C.F.R. § 385.2005(c)) | | electronically may use typed |
| Your Signature | Your address | Date |
| | 1001 Pennsylvania Avenue NW | , |
| Deborah A Carpentier | Washington, DC 20004 | 08/07/2015 |
| Deborah A Carpentier | Washington, DC 20004 | 08/07/2015 |
| Audit Notes | Washington, DC 20004 | 08/07/2015 |

FERC Form Page 19- All Facilities

Miscellaneou

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to.* You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the

Continued from Item 1L: On June 26, 2015, SunEdison, Inc. indirectly acquired ownership interests in the Five Pine Facility, changing Five Pine's upstream ownership as reflected in Item 5b, and the applicant contact information in Items 1 and 2.

7h: The Five Pine Project is owned by Meadow Creek Project Company, LLC(MCPC). It is located near Idaho Falls, Idaho, in Bonneville County. The Five Pine Project's generating facilities consist of 19 Suzlon S97.2.1 MW wind turbines, with an aggregate nameplate capacity of 39.9 MW, along with the infrastructure needed to support the turbines. The electrical output of the wind turbines is collected with a 34.5 kV collection system and related facilities. The Five Pine Project collection system is connected to a substation owned by MCPC ("MCPC Substation"), which aggregates the Five Pine Project's electrical output with that of the North Point Project, a separate wind energy QF with its own 34.5 kV collection system, owned by MCPC and located more than 1 mile from the Five Pine Project. The MCPC Substation includes a 34.5/161 kV transformer which steps-up the combined output of the Five Pine Project and the North Point Project to 161 kV.

After the MCPC Substation, the electrical output of the Five Pine Project (along with that of the North Point Project) flows over an approximately seven mile single circuit, 161 kV interconnecting tie line owned and operated by MCPC ("MCPC Tie-Line"). Only QF electrical power produced by the Five Pine Project and the North Point Project, and backfeed power consumed by the projects when they are not operating flow over the MCPC Tie-Line.

The MCPC Tie-Line connects the MCPC Substation to the Jolly Hill Substation, which is coowned pursuant to a Shared Facilities Agreement ("SFA") among MCPC, Ridgeline Alternative Energy, LLC (MCPC's parent company), Goshen Phase II LLC (the owner of a 124.5 MW wind energy generating facility), and AE Power Services LLC. The Jolly Hill Substation has six 34.5kV collection breakers and two main power transformers with two high side PacifiCorp metering units. Connections between the MCPC Tie-Line and the Jolly Hill Substation add a 161 kV circuit breaker, two disconnect switches, relaying/communications, and a steel Hframe structure.

The Jolly Hill Substation interconnects to another 7-mile, 161 kV tie-line in which MCPC also owns an undivided co-tenancy interest pursuant to the SFA (the "Shared Tie-Line"). The Shared Tie-Line interconnects to another substation (the "Wolverine Substation") at the beginning of an approximately 18-mile 161 kV generation tie-line (the "WCGI Interconnection Facilities are wholly owned by Wolverine Creek Goshen Interconnection LLC ("WCGI"). MCPC owns a partial, direct ownership interest in WCGI and MCPC is a party to a Common Facilities Agreement ("CFA") with, inter alia, WCGI that provides MCPC with a right to use the WCGI Interconnection Facilities, subject to the terms of the CFA, to deliver power from the Five Pine Project (along with that of the North Point Project) to the PacifiCorp transmission system.

The Five Pine Project delivers its electrical output to PacifiCorp through the MCPC Substation, the MCPC Tie-Line, the Jolly Hill Substation, the Shared Tie-Line and the WCGI Interconnection Facilities.